



Cisco

300-835 Exam

Cisco Automating Cisco Collaboration Solutions Exam

Thank you for Downloading 300-835 exam PDF Demo

You can Buy Latest 300-835 Full Version Download

<https://www.certkillers.net/Exam/300-835>

<https://www.certkillers.net>

Version: 5.0

Question: 1

What is a benefit of using Python virtual environments?

- A. It isolates dependencies of every project from the system and each other.
- B. It allows Python to differentiate between package versions.
- C. It frees the developer from installing the project dependencies.
- D. It puts dependent packages in a common site-packages directory.

Answer: A

Question: 2

DRAG DROP

Drag and drop the botkit functions from the left onto the correct actions on the right.

Answer Area

hears()	Adds a question to the thread and evaluate the answer.
ask()	Sends a message with no pause for response.
say()	Replies to an incoming message.
reply()	Listens for keyword, phrases, or patterns in messages from users.

Answer:

Answer Area

hears()	ask()
ask()	say()
say()	reply()
reply()	hears()

Question: 3

Refer to the exhibit.

```
#!/usr/bin/env python
import os
import requests

token = os.environ.get('ACCESS_TOKEN')
url = "https://api.ciscospark.com/v1/messages"
roomId = "abcde12345"

mentionName = " [ ] "
mentionName = mentionName + ", your registration is confirmed"

payload = { "roomId": roomId, "markdown": markdownTxt }

headers = {
    "Authorization": "Bearer " + token,
    "Content-type": "application/json"
}

response = requests.request("POST", url, data=payload, headers = headers)
```

Which code snippet is used to mention the bot CiscoDevNet@webex.bot?

- A. <@personEmail.CiscoDevNet@webex.bot>
- B. @CiscoDevNet@webex.bot
- C. @personEmail.CiscoDevNet@webex.bot
- D. (@personEmail.CiscoDevNet@webex.bot)

Answer: B

Question: 4**DRAG DROP**

An administrator is creating a script using the Python xAPI over WebSockets (py xows) library. The goal of the script is to capture an event generated by a UI Extensions action button (former In-Room Control Panel).

When the action button is clicked, the script displays an alert that says that the button ID was clicked. Drag and drop the code snippets into the locations to complete the script:

Answer Area

```

import xows
import asyncio

async def start(ip, usr, pw):
    async with xows.XoWSClient(ip,username=usr, password=pw) as client:
        async def callback(data,id_):
            [REDACTED]
            [REDACTED]
            [REDACTED]

        await client.wait_until_closed()
async def task():
    [REDACTED]
    [REDACTED]

await client.xCommand([{'UserInterface': 'Message', 'Alert': 'Display'}, Title=panelid, Text= "Was clicked"])

panelId = data['Event']['UserInterface']['Extensions']['Panel']['Clicked']['PanelId']

await start('10.10.10.1','admin','T357c45e')

await client.subscribe(['Event', 'UserInterface', 'Extensions', 'Panel', 'Clicked'], callback, True)

asyncio.run(task())

```

Answer:**Answer Area**

```

import xows
import asyncio

async def start(ip, usr, pw):
    async with xows.XoWSClient(ip,username=usr, password=pw) as client:
        async def callback(data,id_):
            panelId = data['Event']['UserInterface']['Extensions']['Panel']['Clicked']['PanelId']
            await client.xCommand([{'UserInterface': 'Message', 'Alert': 'Display'}, Title=panelid, Text= "Was clicked"])

        await client.subscribe(['Event', 'UserInterface', 'Extensions', 'Panel', 'Clicked'], callback, True)
        await client.wait_until_closed()
async def task():
    await start('10.10.10.1','admin','T357c45e')
    asyncio.run(task())

await client.xCommand([{'UserInterface': 'Message', 'Alert': 'Display'}, Title=panelid, Text= "Was clicked"])

panelId = data['Event']['UserInterface']['Extensions']['Panel']['Clicked']['PanelId']

await start('10.10.10.1','admin','T357c45e')

await client.subscribe(['Event', 'UserInterface', 'Extensions', 'Panel', 'Clicked'], callback, True)

asyncio.run(task())

```

Question: 5**DRAG DROP**

Drag and drop the code to complete the curl command that creates a halfwake brand logo using the xAPI HTTP API. Not all options are used. Code can be used more than one time.

Answer Area

```
curl -X POST "http://192.168.1.32/" [REDACTED] "
-H "Content-Type: text/xml"
-H "Authorization: [REDACTED] cmVtb3Rlc3VwcG9ydDo2US82a0JDYnJ0DQo="
-d "<Command>
<UserInterface>
< [REDACTED] >
<Upload>
    <Type>HalfwakeBranding</Type>
    < [REDACTED] >iVBORw0KGgoAAAANSUhEUgAAARAAAAEQCAYAAA
B4CisVAAAAAXNSR0IArs4c6QAAACBjSFJNAAAB6JgAAgIQAAPoAAACA6AAAdTAAAOp AAA6mAAAF3Ccule8
AAAACXBIXWMAABJ0AAASdAHeZh94AAABy21UWHRYTUw6Y29CC</ [REDACTED] >
</Upload>
</ [REDACTED] >
<UserInterface>
</Command>"
```

body	Branding	getxml
Basic	putxml	Brand
Configuration	Digest	Bearer

Answer:**Answer Area**

```
curl -X POST "http://192.168.1.32/" [REDACTED] putxml "
-H "Content-Type: text/xml"
-H "Authorization: [REDACTED] cmVtb3Rlc3VwcG9ydDo2US82a0JDYnJ0DQo="
-d "<Command>
<UserInterface>
< [REDACTED] >
<Upload>
    <Type>HalfwakeBranding</Type>
    < [REDACTED] >iVBORw0KGgoAAAANSUhEUgAAARAAAAEQCAYAAA
B4CisVAAAAAXNSR0IArs4c6QAAACBjSFJNAAAB6JgAAgIQAAPoAAACA6AAAdTAAAOp AAA6mAAAF3Ccule8
AAAACXBIXWMAABJ0AAASdAHeZh94AAABy21UWHRYTUw6Y29CC</ [REDACTED] body >
</Upload>
</ [REDACTED] >
<UserInterface>
</Command>"
```

body	Branding	getxml
Basic	putxml	Brand
Configuration	Digest	Bearer

CertKillers.net

Thank You for trying 300-835 PDF Demo

To Buy Latest 300-835 Full Version Download visit link below

<https://www.certkillers.net/Exam/300-835>

Start Your 300-835 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your 300-835 preparation with actual exam questions.

<https://www.certkillers.net>